




DSL-236 / DSL-237


LED SIDE DIRECTION INDICATOR LAMP




PRODUCT BENEFITS

- Very unique and fresh design
- Combine up to 3 functions
- Multiple Color Options for the Screw cap
- Different types of connection available
- IP67 Protection
- Multi-voltage 10-30V

FUNCTIONS LAYOUT



Available Colors for Screws Cap



CONNECTION





TECHNICAL SPECIFICATIONS

TECHNICAL DATA

Products Number		DSL-236			DSL-237	
Variants		DSL-236.05	DSL-236.07	DSL-236.RR	DSL-237.05	DSL-237.RR
Operating Voltage		10 V - 30 V				
Reverse Polarity Protection		Yes				
Light Function		Side Direction Indicator	Side Direction Indicator	Side Direction Indicator / Reflex Reflector	Side Direction Indicator / Side Marker	Side Direction Indicator / Side Marker / Reflex Reflector
Emitted Color		Amber				
Material	Lens	PMMA				
	Housing	ABS / PC				
Type of Mounting		Screw Mounting				
Consumption		2 W			2 W (DI) / 0,8W (SM)	
Temperature Range		- 40C / + 65C				
Type of Protection		IP6K7				
Approvals	ECE	R148	R148	R148 / R150	R148	R148 / R150
		Cat. 6	Cat. 6	Cat. 6 / IA	Cat. 6, SM1	Cat.6, SM1 / IA
	EMC	R10-06				
Type of Connection		500mm Cable or 2-Pin Super Seal AM			500mm Cable	

CODES OVERVIEW

Variants Ref. No.	Amber Lens	Clear Lens	Cable Output	2-Pin AMP Connector
DSL-236.05	•		•	
DSL-236-1.05	•			•
DSL-236.07		•	•	
DSL-236-1.07		•		•
DSL-236.RR	•		•	
DSL-236-1.RR	•			•
DSL-237.05	•		•	
DSL-237.RR	•		•	

* Add B after series number for black cap version

DIMENSIONAL DRAWING

